

**POLITECHNIKA ŚLĄSKA**  
**ZESZYTY NAUKOWE**  
Nr 1615

# **GEOMETRIA I GRAFIKA INŻYNIERSKA**

Zeszyt szósty

Gliwice

2004

**Kolegium redakcyjne**

REDAKTOR NACZELNY — Prof. dr hab. inż. Andrzej BUCHACZ  
REDAKTOR DZIAŁU — Dr inż. Janina GŁOMB  
SEKRETARZ REDAKCJI — Mgr Elżbieta LEŚKO

**Redakcja**

Mgr Aleksandra KŁOBUSZOWSKA

**Redakcja techniczna**

Alicja NOWACKA

Wydano za zgodą

Rektora Politechniki Śląskiej

PL ISSN 1427-9274

WYDAWNICTWO POLITECHNIKI ŚLĄSKIEJ  
ul. Akademicka 5, 44-100 Gliwice, tel. (0-32) 237-13-81  
<http://loki.polsl.pl/wydawnictwo>

**Sprzedaż i Marketing**

tel. (0-32) 237-18-48

Nakł. 100+40+10	Ark. wyd. 5	Ark. druk. 5	Papier offset. 70x100, 80 g
Oddano do druku 29.03.2004 r.		Podpis. do druku 29.03.2004 r.	Druk ukończ. w kwietniu 2004 r.

Druk wykonano w Zakładzie Graficznym Politechniki Śląskiej w Gliwicach, ul. Kujawska 1  
zam. 148/04

Tomáš JIRKA\*, Václav SKALA  
Department of Computer Science and Engineering  
University of West Bohemia in Pilsen

## ISOSURFACE VERTEX NORMAL COMPUTATION

**Summary.** This paper discusses the use of scalar field's gradients for computing normal vectors in the vertices of such field's isosurfaces. Three schemes for the gradient vector estimation are compared with respect to their accuracy and thus their influence on the Gouraud shaded isosurface appearance.

## OBLICZANIE WIERZCHOŁKÓW NORMALNYCH IZOPOWIERZCHNI

**Streszczenie.** W artykule omówiono użycie gradientu pola skalarnego do obliczania wektora normalnego w wierzchołkach pól izopowierzchni. Schematyczne drzewo dla gradientu wektora oszacowane jest z uwzględnieniem jego dokładności i tym samym wpływu na cieniowania na typy Gourauda izopowierzchni.

### 1. Introduction

Isosurface extraction and visualization snatd for a powerful tool to explore the information contained in scalar volumetric data defined over regular as well as irregular grids. Moreover, along with dimension contraction, isosurfaces can also depict quantities derived from vector fields and other multidimensional data. The advantage of employing isosurfaces as a visualization tool consists in their ability to describe the character of the riginal data in an inuitive and easy to understand way. On the other hand, a single isosurface does not show how the investigated quantity evolves within the dataset. To compensate this flaw, a set of surfaces corresponding to different isovalues can be incorporated. Being visualized swquentially one after another or simultaneously, such a set of isosurfaces gives a good notion of the quan-

---

\*This. Work was supported by the Ministry of Education of the Czech Republic – project MSM 235200005

tity distribution in the input volumetric data. To fully exploit the benefits of this approach, two requirements should be met. First, the extraction algorithm needs to respond quickly to changes of the isovalue so that it provides as interactive rates as possible. Second, the isosurfaces (usually represented by a triangle mesh) should be rendered smoothly, thus suppressing the disturbing effect of seeing edges between individual polygons.

## 2. Computing Vertex Normal from Triangle Normals

Many techniques dealing with the former of the two above described issues have appeared. Most of them focus on minimizing the number of investigated cells in the input volumetric mesh. To meet the later requirement, Gouraud shading technique is applied, which, however, requires the normal vectors to be known in all the vertices of the isosurface being displayed. For triangle meshes representing general surfaces, the normal vector in each vertex is usually computed as an average of the normals of the adjacent polygons ( $N = \sum_{i=1}^n N_i / \left| \sum_{i=1}^n N_i \right|$ , where  $N$  is the vertex normal and  $N_i$  are the adjacent triangles' normals)<sup>1</sup>. To improve accuracy, weighting each polygon's normal by its angle at the processed vertex has been suggested ( $N = \sum_{i=1}^n \alpha_i N_i / \left| \sum_{i=1}^n \alpha_i N_i \right|$ , where  $\alpha_i$  are the angles enclosed by the adjacent triangles [6]). We denote it later as  $TW$ .

## 3. Computing Vertex Normal from Scalar Field's Gradients

When working with meshes, which represent isosurfaces, however, one may utilize the fact that the gradient vector  $\nabla\varphi = \frac{\partial\varphi}{\partial x}\vec{i} + \frac{\partial\varphi}{\partial y}\vec{j} + \frac{\partial\varphi}{\partial z}\vec{k}$  in location  $Q[x_0, y_0, z_0]$  of the function  $\varphi(P)$ , which defines the values of a scalar field, is perpendicular to the field's isosurface passing through  $Q[x_0, y_0, z_0]$  [5]. Thus, it has the same direction as the normal of the surface in location  $Q$ . Unfortunately, the function  $\varphi(P)$  is unknown and the only information available consists of the function values in the grid


vertices of the scalar field. Therefore, the gradient vector can not be determined exactly but must be estimated. We have studied two estimation algorithms (the first from [4] will be denoted here as *LR-lin*, the other from [3] *FDM*) and improved the first in [2] (*LR-nonlin*).

#### 4. Tests and Results

In the three graphs below, the accuracy of the *TW* method and the gradient utilizing methods *LR-lin*, *FDM* and *LR-nonlin* is compared. For the tests, four volumetric datasets of  $0,5 \cdot 10^4$ ,  $10^4$ ,  $1,5 \cdot 10^4$  and  $2 \cdot 10^4$  vertices have been used. These vertices were randomly distributed in a unit cube and the volume was decomposed into Delaunay tetrahedra. As well as in [2], the following functions were used to generate values in the vertices:

1.  $f_1(x,y,z) = x^2 + y^2 + z^2$ ,
2.  $f_2(x,y,z) = x^3 + y^3 + z^3$ ,
3.  $f_3(x,y,z) = 3 \cdot x^4 \cdot y^2 \cdot e^z + 8 \cdot y + 5 \cdot x \cdot e^y + 16 \cdot z^5$ .

From these data, isosurfaces have been extracted and their normals estimated by individual methods and compared to analytically obtained normals. The number of vertices in the graphs below relates to the isosurfaces, not the volumetric data.



Although the maximum average error of all the methods does not exceed 5 degrees, the accuracy influences the final image significantly as shown in Fig 1. This difference faded with the increasing density of verticed. However, it did not disappear entirely even for the largest dataset.




Fig. 1. 50% isosurface through the data set of 5000 vertices with values defined by  $f_3$ . Normals were estimated by *WT*, *FDM*, *LR-lin*, *LR-nonlin* (from upper left to bottom right)

Rys. 1. 50% izopowierzchnia przechodząca przez 5000 danych wierzchołków, których wartości określono za pomocą  $f_3$ . Normalne są przybliżone w oparciu *Wt*, *FDM*, *RI-lin*, *RI-nonlin* (w kolejności od górnego lewego do dolnego prawego rogu)

## 5. Conclusion

Besides that the gradient based methods are more accurate and give smoother images, another advantage arises from the fact that the scalar field's gradients may be computed in advance. The same interpolation as that used for generating the isosurface vertices then yields normals in these vertices as well, making it possible to use the Gouraud shading technique while reducing the delay caused by vertex normals computation. These two advantages, however, come at a price of longer preprocessing as described in [2].

## BIBLIOGRAPHY

1. Gouraud H.: Continuous Shading of Curved Surface, IEEE Transactions on Computers, Vol. 20, No. 6, pp. 623-629, June 1971.
2. Jirka T., Skala V.: Gradient Estimation and Vertex Normal Computation, Technical Report No. DCSE/TR-2002-08, University of West Bohemia in Pilsen, 2002.
3. Meyer T.H., Eriksson M., Maggio R.C.: Gradient estimation from irregularly spaced data sets, Mathematical Geology, 33: 693-717, August 2001.
4. Neumann L., Csebfalvi B., Konog A., Groeller E.: Gradient Estimation in Volume Data using 4D Linear Regression. EUROGRAPHICS 2000.
5. Rektorys K.: Přehled užití matematiky. (in Czech) SNTL – Nakladatelství technické literatury, Praha 1981.
6. Thurmer G., Wuthrich A.: Computing vertex normals from polygonal facets. Journal of Graphics Tools, 3(1): 43-46 1998.

Recenzent: Dr inž. Renata A. GÓRSKA

## Abstract

In this paper, the possibility to compute isosurface vertex normals from gradient vectors of the scalar field is discussed and compared to the generally used approach of computing vertex normals as an (possibly weighted) average of the

normal vectors of the adjacent triangles. The importance of the gradients' accuracy for the isosurface appearance is shown and three methods for estimating these gradients are evaluated.